1028846

Description: 2-1/2" off-road X-pipe for 1999-2004 Mustang 4.6L GT, Cobra, Mach 1.

OFF-ROAD RACE USE ONLY!! This product is not intended for use on public roads. It is recommended that the customer use MIL eliminator part number 129-1675, or equivalent, to avoid the vehicle from running improperly.

Instructions:

DO NOT TIGHTEN ANY BOLTS OR CLAMPS UNTIL THE LAST STEP!!

1) Remove the oxygen sensors from the original H-pipe. Remove the original H-pipe from the car, unbolting the system at the manifolds (or shorty-headers) and at the flanges at the middle of the vehicle. Leave the existing rear extension pipes, mufflers and tail pipes in place unless you will be installing another replacement system. You will likely need to use a lubricant to remove the nuts.

NOTE: you will need to re-use the manifold studs and nuts to install this system. Hardware is included for bolting the rear of the system to your existing exhaust system.

- 2) Install the driver's side of the X-pipe (left front section) to the driver's side manifold, using the original hardware.
- 3) Repeat step 2) for the passenger side pipe. On the passenger side, you will need to use the included gasket.
- 4) Install the rear section X-pipe to the front sections, using 2-1/2" clamps.
- 5) Connect the rear flanged sections of the rear section X-pipe to the existing rear exhaust system using the 3/8" x 2-1/2" bolts, nuts, lock washers, and two fender washers per bolt hole on the flanges.
- 6) Install the oxygen sensors to the appropriate oxygen sensor nut of each front section.
- 7) Tighten all clamps and bolts. Check for clearance, leaks and rattles.

KIT CONTENTS:

- 2) 2-1/2" clamps
- 4) 3/8" x 2-1/2" bolts
- 4) 3/8" nuts
- 4) 3/8" lock washers
- 8) fender washers (33219)
- 1) o.e. gasket

- 1) left front section 1028845L
- 1) right front section 1028845R
- 1) rear section X-pipe MUSTXP

1028846

DANGER WARNING: Should the purchaser decide to install this exhaust product at home, be warned that pleasure car or light duty truck/van "bumper" jacks are intended for emergency use only. The use of frame contact jack stands in conjunction with a floor jack as main support is highly recommended to minimize accidental dropping of a vehicle while the installation proceeds.


Limitation of liability--Disclaimers: The regulation of emissions production, noise levels and safety standards is undertaken by the federal government, each of the fifty state legislatures, and by many local municipalities, towns and counties.

The manufacturer makes no warranties of merchantability, of fitness for a particular purpose, or that its products are approved for general use, or that its products comply with laws, regulations or ordinances in the states where they may be sold to the ultimate purchaser, the consumer.

The entire risk as to the conformity of this product in any such state and as to repair, should the product prove to be defective or non-conforming, is on the retail purchaser, the buyer, the ultimate consumer of such product and it is not upon the seller, distributor, or manufacturer.

In this connection, retail purchaser, the buyer, the ultimate consumer assumes the burden of the entire cost of any and all necessary service, alterations, and or repair.

The foregoing statement limits the liability of the manufacturer.



Heartthrob exhaust systems are manufactured by Heartthrob Exhaust--Litchfield, MN

Email us at mike@heartthrobexhaust.com with any questions. www.heartthrobexhaust.com 320-693-0222

BUILD SHEET FOR: MUSTANG X-PIPE
PART#'S: 1028846
1) REAR SECTION X-PIPE MUSTXP
1) RIGHT FRONT SECTION #1028845R
1) LEFT FRONT SECTION #1028845L
1) HARDWARE KIT
INSPECTED BY:
DATE:
INSPECTED BY:
DATE:
BUILD SHEET FOR: MUSTANG X-PIPE
PART#'S: 1028846
1) REAR SECTION X-PIPE MUSTXP
1) RIGHT FRONT SECTION #1028845R
1) LEFT FRONT SECTION #1028845L
1) HARDWARE KIT
INSPECTED BY:
DATE:
INSPECTED BY:
DATE:
BUILD SHEET FOR: MUSTANG X-PIPE
PART#'S: 1028846
1) REAR SECTION X-PIPE MUSTXP
1) RIGHT FRONT SECTION #1028845R
1) LEFT FRONT SECTION #1028845L
1) HARDWARE KIT
INSPECTED BY:
DATE:
INSPECTED BY:
DATE: