


# RHAS-SP V1.3-03E VIEWER

Comparison: 2013 Dodge Dart 2L Correction Method: SAE



	CAP5	SAP1
Accel	0.3250	0.2001
Distance	65.3	65.4

Plot 1 (Thick)

X Axis

Y Axis (Left)

Y Axis (Right)

Show Ave.

ShowLock Data Cursor

Plot 2 (Thin)

Comparison AP 5

Eng rpm

Power Flywheel

Power Flywheel



Source AP 1

Folder: 2013 Dodge Dart 2L

Run ID: perf run 3

Date: 04-Dec-2012 20:27:04


Folder: 2013 Dodge Dart 2L

Run ID: stock run 3

Date: 04-Dec-2012 14:54:09

# RHAS-SP V1.3-03E VIEWER


Comparison: 2013 Dodge Dart 2L Correction-Method: SAE



	CAP5	SAP1
Accel	0.3000	0.2020
Distance	0.0	0.5

**Plot 1 (Thick)**    **X Axis**    **Y Axis (Left)**    **Y Axis (Right)**    Show Ave.     Show Lock     Show Data Cursor     **Plot 2 (Thin)**  
 ◆ Comparison AP 5    ◆ Eng rpm    ◆ Torque Flywheel    ◆ Torque Flywheel    ◆ Source AP 1

Folder: 2013 Dodge Dart 2L  
 Run ID: perf run 3  
 Date: 04-Dec-2012 20:27:04



Folder: 2013 Dodge Dart 2L  
 Run ID: stock run 3  
 Date: 04-Dec-2012 14:54:09

Vehicle Folder: 2013 Dodge Dart 2L  
 Date: 04-Dec-2012  
 Time: 20:27:04  
 Run ID: perf run 3  
 Run No: 5

Correction Method: SAE

Vehicle Specification  
 Wheel Diameter (mm): 600.0  
 Weight (Kg): 1400.00  
 Drive Ratio: 8.79700000  
 Trans.C. Factor: 1.000000  
 Gearbox: MANUAL  
 Gear: 4  
 Control Mode: CUSTOM

Run Comment:



EngRPM	TorqFly lbft	Power HP	Temp °F	MAP PSI	Lambda	AFR	PCRatio P/PC	Time sec	Baro InHg						T.Effort lb
3005	105.485	60.353	64.8	-0.09	0.00	0.00	1.03776	0.000	29.199						942.80
3150	96.557	57.911	64.6	-0.05	0.00	0.01	1.03757	0.407	29.199						863.01
3300	94.956	59.663	64.6	-0.04	0.00	0.00	1.03761	0.606	29.199						848.69
3450	96.142	63.154	64.7	-0.13	0.00	0.00	1.03765	0.788	29.199						859.29
3600	99.475	68.184	64.7	0.01	0.00	0.07	1.03763	0.984	29.200						889.08
3750	104.252	74.437	64.7	-0.07	0.01	0.12	1.03765	1.245	29.200						931.77
3900	109.304	81.165	64.7	-0.09	0.01	0.10	1.03762	1.515	29.201						976.93
4050	114.142	88.017	64.8	-0.04	0.01	0.10	1.03776	1.845	29.201						1020.17
4200	108.758	86.972	64.9	-0.07	0.01	0.08	1.03782	2.279	29.202						972.05
4350	105.440	87.329	64.8	0.01	0.00	0.00	1.03779	2.548	29.202						942.39
4500	106.374	91.132	64.8	0.02	0.00	0.00	1.03775	2.752	29.201						950.75
4650	110.456	97.793	64.9	-0.06	0.00	0.00	1.03783	2.950	29.202						987.23
4800	115.862	105.889	64.7	-0.09	0.00	0.00	1.03759	3.204	29.202						1035.55
4950	116.168	109.486	64.6	-0.00	0.00	0.00	1.03750	3.587	29.202						1038.28
5100	113.956	110.656	64.7	-0.06	0.01	0.13	1.03755	3.915	29.202						1018.51
5250	112.616	112.571	64.8	0.03	0.00	0.04	1.03774	4.187	29.202						1006.53
5400	112.452	115.618	64.9	-0.06	0.00	0.00	1.03782	4.453	29.202						1005.07
5550	112.163	118.525	64.8	0.01	0.00	0.00	1.03768	4.741	29.202						1002.49
5700	111.049	120.519	64.8	-0.01	0.00	0.00	1.03778	5.018	29.201						992.53
5850	110.321	122.880	64.9	-0.07	0.00	0.05	1.03790	5.301	29.201						986.02
6000	109.129	124.669	64.8	-0.10	0.01	0.08	1.03782	5.590	29.200						975.37
6150	107.339	125.689	64.7	-0.02	0.00	0.00	1.03771	5.885	29.199						959.37
6200	107.738	127.182	64.7	-0.06	0.00	0.04	1.03773	6.008	29.199						962.93

Vehicle Folder: 2013 Dodge Dart 2L  
 Date: 04-Dec-2012  
 Time: 14:54:09  
 Run ID: stock run 3  
 Run No: 1

Correction Method: SAE

Vehicle Specification  
 Wheel Diameter (mm): 600.0  
 Weight (Kg): 1400.00  
 Drive Ratio: 8.79700000  
 Trans.C. Factor: 1.000000  
 Gearbox: MANUAL  
 Gear: 4  
 Control Mode: CUSTOM

Run Comment:



EngRPM	TorqFly lbft	Power HP	Temp °F	MAP PSI	Lambda	AFR	PCRatio P/PC	Time sec	Baro InHg						T.Effort lb
3004	97.985	56.044	66.0	-0.10	0.01	0.10	1.04167	0.000	29.132						875.76
3150	89.561	53.715	66.0	-0.11	0.00	0.06	1.04162	0.427	29.131						800.48
3300	88.611	55.676	66.0	-0.05	0.00	0.05	1.04159	0.633	29.131						791.98
3450	89.451	58.759	66.0	-0.10	0.00	0.04	1.04160	0.835	29.131						799.49
3600	91.355	62.618	66.0	-0.12	0.00	0.05	1.04170	1.055	29.130						816.50
3750	93.738	66.929	66.0	-0.13	0.00	0.05	1.04172	1.321	29.129						837.81
3900	95.708	71.069	65.9	-0.12	0.00	0.00	1.04157	1.623	29.130						855.41
4050	99.244	76.529	65.9	-0.13	0.01	0.16	1.04158	1.860	29.129						887.02
4200	103.413	82.698	65.9	-0.11	0.00	0.01	1.04160	2.152	29.129						924.28
4350	100.152	82.949	66.0	-0.15	0.00	0.03	1.04174	2.563	29.128						895.13
4500	97.410	83.461	65.9	-0.12	0.01	0.12	1.04173	2.844	29.128						870.63
4650	98.644	87.336	65.9	-0.10	0.01	0.20	1.04168	3.053	29.127						881.66
4800	102.669	93.831	66.0	-0.09	0.00	0.00	1.04173	3.256	29.129						917.63
4950	107.964	101.750	66.0	-0.12	0.00	0.00	1.04171	3.505	29.129						964.95
5100	109.128	105.967	65.9	-0.12	0.01	0.08	1.04159	3.911	29.129						975.36
5250	102.278	102.236	65.9	-0.12	0.01	0.08	1.04172	4.293	29.128						914.13
5400	100.882	103.723	65.9	-0.12	0.00	0.00	1.04170	4.532	29.126						901.66
5550	100.819	106.538	65.9	-0.11	0.00	0.00	1.04167	4.771	29.127						901.10
5700	101.186	109.815	65.9	-0.12	0.01	0.17	1.04173	5.036	29.127						904.37
5850	101.411	112.955	66.0	-0.09	0.00	0.00	1.04179	5.310	29.126						906.39
6000	101.311	115.738	66.1	-0.12	0.00	0.00	1.04203	5.599	29.124						905.49
6150	100.857	118.099	66.0	-0.11	0.00	0.00	1.04194	5.892	29.124						901.43
6200	101.311	119.596	66.1	-0.13	0.00	0.01	1.04203	6.004	29.122						905.49