

Vehicle Folder: 2020f35073gas
 Date: 27-Jan-2021
 Time: 15:42:51
 Run ID: stock
 Run No: 1

Correction Method: SAE


Vehicle Specification
 Wheel Diameter (mm): 600.0
 Weight (Kg): 1400.00
 Drive Ratio: 6.64000000
 Trans.C. Factor: 1.000000
 Gearbox: MANUAL
 Gear: 4
 Control Mode: CUSTOM

Run Comment:



EngRPM	Torque lbft	Power HP	Temp °F	MAP PSI	Lambda	AFR	PCRatio P/PC	Time sec	Baro InHg						T.Effort lb
4524	429.790	370.167	64.5	-0.06	0.01	0.08	1.02444	0.000	29.334						2899.47
4550	426.079	369.120	64.5	-0.10	0.01	0.11	1.02444	0.269	29.334						2874.43
4600	421.551	369.210	64.5	-0.06	0.00	0.00	1.02441	0.602	29.334						2843.88
4650	414.670	367.132	64.4	-0.08	0.00	0.01	1.02436	0.940	29.334						2797.46
4700	407.019	364.233	64.5	-0.12	0.00	0.02	1.02442	1.263	29.334						2745.85
4750	405.716	366.929	64.5	-0.12	0.00	0.00	1.02442	1.451	29.334						2737.06
4800	407.850	372.742	64.5	-0.02	0.00	0.05	1.02442	1.609	29.334						2751.46
4850	411.118	379.649	64.4	-0.04	0.00	0.00	1.02438	1.834	29.334						2773.50
4900	410.948	383.398	64.4	-0.09	0.01	0.08	1.02439	2.250	29.334						2772.36
4950	408.309	384.822	64.5	-0.07	0.01	0.11	1.02443	2.627	29.334						2754.55
5000	399.833	380.640	64.5	-0.08	0.00	0.01	1.02446	3.041	29.334						2697.37
5050	394.900	379.704	64.5	-0.04	0.00	0.06	1.02444	3.324	29.334						2664.09
5100	391.965	380.580	64.5	-0.11	0.01	0.08	1.02447	3.571	29.334						2644.29
5150	388.467	380.915	64.5	-0.11	0.00	0.07	1.02443	3.859	29.334						2620.69
5200	383.488	379.688	64.2	-0.10	0.00	0.00	1.02421	4.160	29.334						2587.10
5250	381.620	381.467	64.4	-0.08	0.00	0.00	1.02437	4.411	29.334						2574.50
5300	380.455	383.924	64.5	-0.02	0.00	0.02	1.02442	4.701	29.334						2566.64
5350	377.643	384.682	64.5	-0.07	0.01	0.09	1.02449	5.021	29.333						2547.67
5400	374.551	385.098	64.5	-0.09	0.01	0.09	1.02449	5.323	29.334						2526.81
5450	370.569	384.531	64.4	-0.07	0.00	0.03	1.02436	5.642	29.335						2499.95
5500	368.690	386.092	64.4	-0.05	0.01	0.08	1.02433	6.002	29.335						2487.27


Comparison: Correction-Method: SAE



Time	0.00
Hubrpm	681.25
EngRPM	4524
AxleTorq	2853.8
AxleTorqM	2853.8
AxleTorqS	0.0
Torque	429.8
AxlePow	370.2
Power	370.2
PCRatio	1.02444
MAP	-0.06
Temp	64.5
AirDens	1.1884
Baro	29.33
RelHum	0.3
Speed	47.9
T.Effort	2899.5
Accel	0.9394
Distance	0.0


Plot 1 (Thick) **X Axis** **Y Axis (Left)** **Y Axis (Right)** Show Ave. Show Lock Plot 2 (Thin)
 Comparison AP 1 Eng rpm Torque Power NONE

Folder: 2020f35073gas
Run ID: stock
Date: 27-Jan-2021 15:42:51



Folder:
Run ID:
Date:

Comparison: Correction-Method: SAE



CAP2	
Time	0.04
Hubrpm	679.22
EngRPM	4510
AxleTorq	2895.4
AxleTorqM	2895.4
AxleTorqS	0.0
Torque	436.1
AxlePow	374.4
Power	374.4
PCRatio	1.02142
MAP	-0.01
Temp	60.9
AirDens	1.1960
Baro	29.32
RelHum	0.3
Speed	47.7
T.Effort	2941.7
Accel	0.9531
Distance	2.9

Plot 1 (Thick) X Axis Y Axis (Left) Y Axis (Right) Show Ave. Show Lock Data Cursor Plot 2 (Thin)
 Comparison AP 2 Eng rpm Torque Power NONE

Folder: 2020f35073gas

Run ID: 4inchhvs

Date: 28-Jan-2021 14:19:48

Folder:

Run ID:

Date:

Vehicle Folder: 2020f35073gas
 Date: 28-Jan-2021
 Time: 14:19:48
 Run ID: 4inchhvs
 Run No: 2

Correction Method: SAE

Vehicle Specification
 Wheel Diameter (mm): 600.0
 Weight (Kg): 1400.00
 Drive Ratio: 6.64000000
 Trans.C. Factor: 1.000000
 Gearbox: MANUAL
 Gear: 4
 Control Mode: CUSTOM

Run Comment:



EngRPM	Torque lbft	Power HP	Temp °F	MAP PSI	Lambda	AFR	PCRatio P/PC	Time sec	Baro InHg						T.Effort lb
4500	437.026	374.443	60.9	0.01	0.00	0.00	1.02143	0.000	29.319						2948.28
4501	436.962	374.433	60.9	0.01	0.00	0.00	1.02143	0.002	29.319						2947.85
4550	434.068	376.042	60.9	0.01	0.01	0.15	1.02141	0.185	29.320						2928.33
4600	434.586	380.627	60.9	0.03	0.00	0.00	1.02144	0.342	29.320						2931.82
4650	437.462	387.311	60.9	-0.02	0.00	0.00	1.02145	0.489	29.320						2951.22
4700	442.066	395.596	60.9	-0.01	0.01	0.08	1.02143	0.669	29.320						2982.28
4750	447.017	404.305	61.0	-0.07	0.00	0.00	1.02142	0.985	29.322						3015.68
4800	440.206	402.313	60.9	-0.01	0.00	0.00	1.02132	1.592	29.322						2969.73
4850	433.709	400.504	60.9	0.02	0.01	0.14	1.02139	1.932	29.321						2925.91
4900	431.685	402.722	60.9	0.02	0.01	0.08	1.02138	2.164	29.321						2912.25
4950	430.583	405.815	60.8	0.02	0.00	0.04	1.02131	2.408	29.321						2904.81
5000	429.303	408.696	60.9	0.04	0.00	0.00	1.02135	2.683	29.322						2896.18
5050	427.192	410.753	61.0	-0.01	0.00	0.02	1.02140	2.997	29.322						2881.94
5100	422.785	410.541	60.8	0.03	0.00	0.01	1.02129	3.351	29.321						2852.21
5150	417.622	409.503	60.9	-0.00	0.00	0.01	1.02139	3.688	29.321						2817.38
5200	411.272	407.192	60.9	0.03	0.00	0.00	1.02138	4.016	29.322						2774.54
5250	407.342	407.179	60.9	0.04	0.01	0.10	1.02138	4.279	29.322						2748.03
5300	404.923	408.615	60.9	0.02	0.00	0.00	1.02133	4.542	29.321						2731.71
5350	402.313	409.812	60.9	-0.01	0.00	0.01	1.02138	4.829	29.322						2714.10
5400	398.244	409.458	61.0	-0.01	0.00	0.00	1.02143	5.127	29.321						2686.65
5450	393.918	408.738	60.9	-0.02	0.00	0.00	1.02142	5.440	29.321						2657.46
5500	392.149	410.658	60.9	0.00	0.00	0.04	1.02141	5.771	29.320						2645.53